


Band Clamping Systems

**Universal Hose and Pipe Clamps
Made in Germany**



Using the **Bandimex Tool**, a roll of **Bandimex Band** and **Bandimex Buckles**, a clamp fitting each diameter and each shape can easily and quickly be applied at low cost, to clamp all types of hoses, fix signs and boards to poles, pipe mounting, and many other fastening applications.



Bandimex Tool

Tensioning capability over 1,0 t

Cat.No.		kg
W 001	Bandimex Tool	2,00

Replacement Parts

Cat.No.		kg
W 043	Close Quarter Tension Nut	0,06
W 006	Handle and Tension Screw	0,57
W 012	Cutter Bar	0,05
W 016	Ball Bearing	0,03

All replacement parts for the **Bandimex Tool W 001** are separately available.




Bandimex Band full round edge, SS-CrNi

30 m/roll

Cat.No.	width	thickness	kg
B 202	6,4 mm - ¼"	0,50 mm - .020"	0,8
B 203	9,5 mm - ⅜"	0,64 mm - .025"	1,5
B 204	12,7 mm - ½"	0,75 mm - .030"	2,3
B 205	16,0 mm - ⅝"	0,75 mm - .030"	2,9
B 206	19,0 mm - ¾"	0,75 mm - .030"	3,4

On request also available in mill coil lengths.



Bandimex Band full round edge, SS-CrNiMo

30 m/roll

Cat.No.	width	thickness	kg
B 402	6,4 mm - ¼"	0,50 mm - .020"	0,8
B 403	9,5 mm - ⅜"	0,64 mm - .025"	1,5
B 404	12,7 mm - ½"	0,75 mm - .030"	2,3
B 405	16,0 mm - ⅝"	0,75 mm - .030"	2,9
B 406	19,0 mm - ¾"	0,75 mm - .030"	3,4

On request also available in mill coil lengths.

Buckles and Scru-Buckles



Bandimex Buckles
for single or double wrapped
Bandimex Band, SS-CrNi
100 pcs./box

Cat.No.	for band width	kg
S 252	6,4 mm - ¼"	0,1
S 253	9,5 mm - ⅜"	0,4
S 254	12,7 mm - ½"	1,0
S 255	16,0 mm - ⅝"	1,1
S 256	19,0 mm - ¾"	1,7

Bandimex Buckles
for single or double wrapped
Bandimex Band, SS-CrNiMo
100 pcs./box

Cat.No.	for band width	kg
S 452	6,4 mm - ¼"	0,1
S 453	9,5 mm - ⅜"	0,4
S 454	12,7 mm - ½"	1,0
S 455	16,0 mm - ⅝"	1,1
S 456	19,0 mm - ¾"	1,7

Bandimex Scru-Buckles
for retensioning clamps, SS-CrNi

Cat.No.	for band width	pcs./box	kg
S 722	9,5 mm - ⅜"	50	0,2
S 724	12,7 mm - ½"	25	0,2
S 726	19,0 mm - ¾"	25	0,4





Bandimex JUMBO-Tool

Tensioning capability over 2,5 t

The Bandimex JUMBO-Tool is used to apply Bandimex JUMBO-Band and Bandimex JUMBO-Buckles.

Cat.No.		kg
W 402	Bandimex JUMBO-Tool	5,0



Bandimex JUMBO-Band for heavy-duty clamping applications, full round edge, SS-CrNi

30 m/roll

Cat.No.	width	thickness	kg
B 430	19,0 mm – ¾"	1,2 mm – .047"	5,5
B 431	25,0 mm – 1"	1,0 mm – .040"	6,0
B 432	32,0 mm – 1¼"	1,0 mm – .040"	7,7

On request also available in mill coil lengths.



Bandimex JUMBO-Buckles for single or double wrapped Bandimex JUMBO-Band, SS-CrNi

25 pcs./box

Cat.No.	for band width	kg
S 440	19,0 mm – ¾"	0,8
S 441	25,0 mm – 1"	1,1
S 442	32,0 mm – 1¼"	1,4

L-Band and L-Clips

Bandimex L-Band
for light-duty clamping applications,
full round edge, SS-CrNi
thickness: 0,4 mm - .016"

30 m/roll

Cat.No.	width	kg
B 133	9,5 mm - 3/8"	0,9
B 134	12,7 mm - 1/2"	1,2
B 135	16,0 mm - 5/8"	1,5
B 136	19,0 mm - 3/4"	1,8


50 m/roll

Cat.No.	width	kg
B 127	9,5 mm - 3/8"	1,5
B 128	12,7 mm - 1/2"	2,0
B 129	16,0 mm - 5/8"	2,5
B 130	19,0 mm - 3/4"	3,0

90 m/roll

Cat.No.	width	kg
B 123	9,5 mm - 3/8"	2,7
B 124	12,7 mm - 1/2"	3,7
B 125	16,0 mm - 5/8"	4,6
B 126	19,0 mm - 3/4"	5,5

On request also available in mill coil lengths.



Bandimex L - Clips
for use with Bandimex L-Band and
Bandimex L-Band Plus, SS-CrNi
100 pcs./box

Cat.No.	for band width	kg
S 153	9,5 mm - 3/8"	0,3
S 154	12,7 mm - 1/2"	0,4
S 155	16,0 mm - 5/8"	0,5
S 156	19,0 mm - 3/4"	0,9
S 176 *	19,0 mm - 3/4"	1,1

* reinforced for extra strength





Bandimex L-Band Plus
full round edge, SS-CrNi
thickness: 0,5 mm - .020"
30 m/roll

Cat.No.	width	kg
B 181	12,7 mm - ½"	1,5
B 161	19,0 mm - ¾"	2,3

50 m/roll

Cat.No.	width	kg
B 183	12,7 mm - ½"	2,5
B 163	19,0 mm - ¾"	3,9

On request also available in mill coil lengths.

On request **Bandimex L-Band**, **Bandimex L-Band Plus** and **Bandimex L-Clips** are also available in other material grades.



Plastic Dispenser

Bandimex Band, **Bandimex L-Band** and **Bandimex L-Band Plus** are also available in waterproof plastic packaging with carrying handle.



Bandimex Pre-assembled Clamps

Available in SS-CrNi and SS-CrNiMo.

On request we supply bands of any required length, with or without **Bandimex Buckles**, **Bandimex Scru-Buckles** or **Bandimex L-Clips** securely mounted on the band.



Bandimex Seals

Available in SS-CrNi and SS-CrNiMo.

U-form and overlapping.

For band width ½", ¾", 1" and 1½".

Warehouse, Ratchet Tool, HD-Tool, Band Cutter and Pocket-Tool



Bandimex Warehouse

Cat.No.		kg
W 274	Bandimex Warehouse (Empty) 410 x 210 x 250 mm	4,4
V 125	Bandimex Plastic Case (Empty) 530 x 140 x 400 mm	1,6

Bandimex Ratchet Tool

The Bandimex Ratchet Tool is used to apply Bandimex Band, Bandimex L-Band and Bandimex L-Band Plus.

Cat.No.		kg
VC 400	Bandimex Ratchet Tool	1,6

Bandimex HD-Tool

For clamping applications with Bandimex Band requiring extra strength.

Cat.No.		kg
W 001HD	Bandimex HD-Tool	2,3

Bandimex Band Cutter

Cat.No.		kg
SS 120	Bandimex Band Cutter	0,9

Bandimex Pocket-Tool

Cat.No.		kg
W 101	Bandimex Pocket-Tool	0,5

The Bandimex Pocket-Tool is used to apply Bandimex Band, Bandimex L-Band, Bandimex L-Band Plus and Bandimex Preformed Clamps with band width $\frac{1}{4}$ " and $\frac{3}{8}$ ".





Bandimex Mounting Brackets with straight legs SS-CrNi

50 pcs./box

Cat.No.		kg
H 001	1 bolt (M8 x 16) with washer	3,3
H 008	2 bolts (M8 x 16) with washers	4,4



Bandimex Mounting Brackets with flared legs SS-CrNi

50 pcs./box

Cat.No.		kg
H 021	1 bolt (M8 x 16) with washer	3,3
H 028	2 bolts (M8 x 16) with washers	4,4



Bandimex Mounting Brackets with 9 mm wide slotted holes SS-CrNi

50 pcs./box

Cat.No.		kg
H 026	90 mm long, 50 mm – 80 mm	2,6
H 025	140 mm long, 60 mm – 120 mm	4,0
H 027	200 mm long, 115 mm – 175 mm	6,3



Bandimex Y-Bracket SS-CrNi

50 pcs./box

Cat.No.		kg
H 096	Y – Bracket 60 mm long	4,2
H 097	Y – Bracket 100 mm long	6,0



Baby-Tool

Cat.No.		kg
M 100	Baby-Tool	0,63


Baby-Band

Round edges, SS-CrNiMo

width 4,5 mm – .177" thickness 0,3 mm – .010"

100 pcs./box

Cat.No.	Length	max. Diameter	Kg
M 145	152 mm – 6"	25 mm – 1"	0,23
M 245	200 mm – 8"	50 mm – 2"	0,28
M 345	360 mm – 14"	102 mm – 4"	0,36
M 545	520 mm – 20"	152 mm – 6"	0,61
M 645	680 mm – 27"	203 mm – 8"	0,80
M 845	840 mm – 33"	254 mm – 10"	0,94
M 045	1050 mm – 41"	318 mm – 12 1/2"	1,15



Baby-Band Plus

Round edges, SS-CrNiMo

width 8,0 mm – .315" thickness 0,3 mm – .010"

50 pcs./box

Cat.No.	Length	max. Diameter	Kg
M 180	152 mm – 6"	25 mm – 1"	0,23
M 280	200 mm – 8"	50 mm – 2"	0,27
M 380	360 mm – 14"	102 mm – 4"	0,43
M 580	520 mm – 20"	152 mm – 6"	0,58
M 680	680 mm – 27"	203 mm – 8"	0,73
M 880	840 mm – 33"	254 mm – 10"	0,88
M 080	1050 mm – 41"	318 mm – 12 1/2"	1,11



Baby-Tags

SS-CrNiMo

100 pcs./box

Cat.No.	Dimensions	kg
M 001	89 mm x 9,5 mm – 3 1/2" x 3/8"	0,17
M 002	89 mm x 19,0 mm – 3 1/2" x 3/4"	0,30

Only for use with **Baby-Band** (width 4,5 mm).



On request various tag imprinters are available.