

Professional Series Product Range

PROFESSIONAL SERIES



Who We Are

Velcro Companies.....	4
VELCRO® Brand Solutions for the Construction Industry.....	6

General Purpose

General Use Fastener	8
----------------------------	---

High Performance

High Strength Fastener	10
Extreme Strength Fastener	12
Extra Thin Fastener	14
Universal Flooring Fastener.....	16
VELCRO® Brand ALFA-LOK® Fastener.....	18

Straps & Tapes

VELCRO® Brand ONE-WRAP® Strap.....	20
VELCRO® Brand ONE-WRAP® Tape.....	26
VELCRO® Brand LOGISTRAP® Strap.....	30

Agriculture & Gardening

VELCRO® Brand GREEN TIE.....	32
------------------------------	----

Additional Information

Sales Promotion Tools.....	34
Product Range Overview.....	35



Velcro Companies

Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 60 years and own over 400 active patents and numerous trademarks, including the VELCRO® Brand trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.



FOOTWEAR
& APPAREL



CONSTRUCTION



INDUSTRIAL



MEDICAL



MILITARY &
GOVERNMENT



PACKAGING



PERSONAL
CARE



TRANSPORTATION



SPECIALTIES



 Our manufacturing facilities around the world

From more than
50 different
nationalities



+3,000
employees

We create more than
10 billion connections
every year



10 billion
connections

Last year we produced
enough tape to circle
the Earth 130 times



5,300,000 Km
of tape

Developed since the
creation of the original
patent in 1952



+1,000
patents



+20 offices
worldwide



**Hidden
hero**



Hundreds of
applications

10 production facilities,
4 R&D centers, 20 sales
offices and distribution
centers

Our products are connecting
everyone everywhere in
everyday life experiences

Infinite applications and uses by
consumers and professionals
around the world



VELCRO® Brand Solutions for the Construction Industry


The VELCRO® Brand offers construction fastening systems that provide a greener alternative for manufacturers, architects, and builders—and can help earn potential green building rating points. These fastening solutions reduce the use of volatile organic compounds (VOCs), eliminate adhesive off-gassing, and reduce job site waste, while reducing the installation time. VELCRO® Brand construction fastening systems require fewer tools; are easy to replace and reposition; prevent damage to the underlying building envelope; and can be applied in a wider range of temperature and weather conditions for improved productivity and reduced labor costs.




Labor
Savings



Environmental
Benefits



ALFA-LOK®
FASTENER



GENERAL PURPOSE

GENERAL USE FASTENER

VELCRO® Brand Hook & Loop Closure. Medium profile.
Adhesive designed for a wide number of substrates such as aluminum, stainless steel, glass, plywood and polyester. Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Medium tack adhesion.






CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm²
	TENSION	4.5 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended
✓ Good
✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20002	8412355200028	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20003	8412355200035	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20006	8412355200066	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20007	8412355200073	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20000	8412355200004	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	6	Stick, staple, nail, screw
VEL-PS20001	8412355200011	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	6	Stick, staple, nail, screw
VEL-PS20004	8412355200042	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20005	8412355200059	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE





* Weight resistance of 50mm x 100mm of Closure.



HIGH STRENGTH FASTENER

VELCRO® Brand High Technology Hook with Loop Closure. Medium profile. Adhesive suitable for a wide number of substrates (PVC-vinyl, aluminum, stainless steel, glass, plywood and polyester) but not for polyethylene or polypropylene. High adhesive temperature resistance. Medium tack.



CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	Medium
	PEEL	6 N/cm
	SHEAR	31 N/cm²
	TENSION	9 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-20°C to +120°C

ADHESIVE SUBSTRATE COMPATIBILITY		
Aluminium Adonized		✓
Glass		✓
Painted Wallboard		✓
Plywood		✓
Polyester		✓
Polyethylene		✗
Polypropylene		✗
Stainless Steel		✓
Vinyl		✓
Formica (Polished Side)		✓
Cardboard		✓
Polycrylic		✓
Fabrics		✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20009	8412355200097	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20008	8412355200080	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw

● COINS							
REFERENCE	EAN CODE	CONTENT	DIAMETER	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20010	8412355200103	6 coins of Hook 6 coins of Loop	∅ 45mm	■	✓	96	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press



24H

Adhesive reaches maximum performance after 24 hours



* Weight resistance of 50mm x 100mm of Closure.



HIGH PERFORMANCE

EXTREME STRENGTH FASTENER

VELCRO® Brand VEL-LOC® (Mushroom) & Loop Closure. Medium profile. Adhesive suitable for a wide number of substrates (including aluminum, stainless steel, glass, plywood and polyester). Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Extreme tack adhesion.



CLOSURE INFORMATION		
	MATERIAL	Polyester Polypropylene Polyamide
	CYCLE LIFE	Low
	PEEL	24 N/cm
	SHEAR	115 N/cm²
	TENSION	11 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✗
Polypropylene	✗
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✗
Polycrylic	✓
Fabrics	✗

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20012	8412355200127	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20011	8412355200110	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press



24H

Adhesive reaches maximum performance after 24 hours



* Weight resistance of 50mm x 100mm of Closure.



EXTRA THIN FASTENER

VELCRO® Brand High Technology Hook with Loop Closure.
Low profile. Adhesive suitable for a wide number of substrates (aluminum, stainless steel, glass, plywood, polyester, polyethylene and polypropylene). Low adhesive temperature resistance. Not compatible with PVC-vinyl. High tack.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene Polyamide
	CYCLE LIFE	Medium
	PEEL	2 N/cm
	SHEAR	30 N/cm ²
	TENSION	10 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +60°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20020	8412355200202	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20019	8412355200196	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20018	8412355200189	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20017	8412355200172	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20016	8412355200165	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	7	Stick, staple, nail, screw
VEL-PS20015	8412355200158	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	7	Stick, staple, nail, screw
VEL-PS20014	8412355200141	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	4	Stick, staple, nail, screw
VEL-PS20013	8412355200134	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	4	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press



24H

Adhesive reaches maximum
performance after 24 hours



* Weight resistance of 50mm x 100mm of Closure.



UNIVERSAL FLOORING FASTENER

VELCRO® Brand High Technology Hook. Low profile.
Compatible with most of the flexible floors with receptive backing (Carpet, PVC...). Adhesive adequate for a wide range of substrates (PVC-Vinyl, aluminum, stainless steel, concrete, glass, plywood, polyester). High adhesive temperature range, low tack. Residual free.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	ADHESIVE OPERATING TEMPERATURE	-40°C to +140°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✗
Polypropylene	✗
Stainless Steel	✓
Vinyl	✓
Formica (Polished Side)	✓
Cardboard	✓
Polycrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20021	8412355200219	25 meters of Hook Tape	45mm		✓	7	Stick
VEL-PS20027	8412355200271	25 meters of Hook Tape	107mm		✓	4	Stick

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%




Clean the surface



Remove paper and press



Adhesive reaches maximum performance after 24 hours
24H



ALFA-LOK® FASTENER

VELCRO® Brand ALFA-LOK® Fastener is a strong, self-engaging and multidirectional tape easy to use. The quadrilobal mushroom tape ensures a firm and reliable connection. It can be engaged at any position by pressing the two parts together firmly.

VELCRO® Brand ALFA-LOK® Fastener has been developed for use in a wide range of applications from solar panels, signage and exhibition stands to fixing the interior in trains, cars or buses.



CLOSURE INFORMATION		
	MATERIAL	Polyester Polypropylene
	PEEL	2 N/cm
	SHEAR	50 N/cm ²
	TENSION	40 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	Long Term: From -40 °C to +90 °C Short Term: 120 °C

ADHESIVE SUBSTRATE COMPATIBILITY	
Glass	✓
Aluminium (Anodized, RAW)	✓
Steel (Stainless, Galvanized)	✓
Plywood - MDF	✓
Formica (Polished Side)	✓
Cardboard	✓
Painted Wallboard	✓
Concrete	✓
Stone	✓
ABS	✓
Polyester	✓
Vinyl	✓
Polyacrylic - PMMA	✓
Polycarbonate	✓
Polyethylene	✗
Polypropylene	✗
Fabrics	✗

✓ Recommended ✓ Good. Recommended with Primer 101 ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20023	8412355200233	1 meter of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20022	8412355200226	3 meters of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20028	8412355200288	5 meters of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press



24H

Adhesive reaches maximum performance after 24 hours



STRAPS & TAPES

STRAP

ONE-WRAP® Strap

VELCRO® Brand ONE-WRAP® Strap has proved its value as easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm²



SIZE	STRAP SHAPE	
13x200mm (7mm body)	13mm	7mm
20x150mm (12,5mm body)	20mm	12,5mm
20x200mm (12,5mm body)	20mm	12,5mm
20x230mm (12,5mm body)	20mm	12,5mm
20x330mm (12,5mm body)	20mm	12,5mm
25x300mm (16mm body)	25mm	16mm

STRAP • 25 UNITS ROLL


REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64300	8412355643009	13mm x 200mm 25 units	13mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64301	8412355643016			Black (330)		
VEL-OW64302	8412355643023			Black (330 F.R.T.)		
VEL-OW64303	8412355643030			Royal Blue (131)		
VEL-OW64304	8412355643047			Yellow (750)		
VEL-OW64305	8412355643054			Red (530)		
VEL-OW64306	8412355643061			Green (650)		
VEL-OW64307	8412355643078			Purple (557)		
VEL-OW64309	8412355643092			Pink (895)		
VEL-OW64310	8412355643108			Aqua (893)		
VEL-OW64311	8412355643115	20mm x 150mm 25 units	20mm	Orange (700)	108	Bundle, wrap, fasten
VEL-OW64400	8412355644006			White (010)		
VEL-OW64401	8412355644013			Black (330)		
VEL-OW64402	8412355644020			Black (330 F.R.T.)		
VEL-OW64403	8412355644037			Royal Blue (131)		
VEL-OW64404	8412355644044			Yellow (750)		
VEL-OW64405	8412355644051			Red (530)		
VEL-OW64406	8412355644068			Green (650)		
VEL-OW64407	8412355644075			Purple (557)		
VEL-OW64409	8412355644099			Pink (895)		
VEL-OW64410	8412355644105			Aqua (893)		
VEL-OW64411	8412355644112			Orange (700)		



STRAPS & TAPES

STRAP • 25 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64500	8412355645003	20mm x 200mm 25 units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64501	8412355645010			Black (330)		
VEL-OW64502	8412355645027			Black (330 F.R.T.)		
VEL-OW64503	8412355645034			Royal Blue (131)		
VEL-OW64504	8412355645041			Yellow (750)		
VEL-OW64505	8412355645058			Red (530)		
VEL-OW64506	8412355645065			Green (650)		
VEL-OW64507	8412355645072			Purple (557)		
VEL-OW64509	8412355645096			Pink (895)		
VEL-OW64510	8412355645102			Aqua (893)		
VEL-OW64511	8412355645119			Orange (700)		
VEL-OW64600	8412355646000	20mm x 230mm 25 units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64601	8412355646017			Black (330)		
VEL-OW64602	8412355646024			Black (330 F.R.T.)		
VEL-OW64603	8412355646031			Royal Blue (131)		
VEL-OW64604	8412355646048			Yellow (750)		
VEL-OW64605	8412355646055			Red (530)		
VEL-OW64606	8412355646062			Green (650)		
VEL-OW64607	8412355646079			Purple (557)		
VEL-OW64609	8412355646093			Pink (895)		
VEL-OW64610	8412355646109			Aqua (893)		
VEL-OW64611	8412355646116			Orange (700)		
VEL-OW64700	8412355647007	20mm x 330mm 25 units	20mm	White (010)	108	Bundle, wrap, fasten
VEL-OW64701	8412355647014			Black (330)		
VEL-OW64702	8412355647021			Black (330 F.R.T.)		
VEL-OW64703	8412355647038			Royal Blue (131)		
VEL-OW64704	8412355647045			Yellow (750)		
VEL-OW64705	8412355647052			Red (530)		
VEL-OW64706	8412355647069			Green (650)		
VEL-OW64707	8412355647076			Purple (557)		
VEL-OW64709	8412355647090			Pink (895)		
VEL-OW64710	8412355647106			Aqua (893)		
VEL-OW64711	8412355647113			Orange (700)		
VEL-OW64800	8412355648004	25mm x 300mm 25 units	25mm	White (010)	84	Bundle, wrap, fasten
VEL-OW64801	8412355648011			Black (330)		
VEL-OW64802	8412355648028			Black (330 F.R.T.)		
VEL-OW64803	8412355648035			Royal Blue (131)		
VEL-OW64804	8412355648042			Yellow (750)		
VEL-OW64805	8412355648059			Red (530)		
VEL-OW64806	8412355648066			Green (650)		
VEL-OW64807	8412355648073			Purple (557)		
VEL-OW64809	8412355648097			Pink (895)		
VEL-OW64810	8412355648103			Aqua (893)		
VEL-OW64811	8412355648110			Orange (700)		



 STRAP • 100 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64326	8412355643269	13mm x 200mm 100 units	13mm	White (010)	64	Bundle, wrap, fasten
VEL-OW64327	8412355643276			Black (330)		
VEL-OW64328	8412355643283			Black (330 F.R.T.)		
VEL-OW64329	8412355643290			Royal Blue (131)		
VEL-OW64330	8412355643306			Yellow (750)		
VEL-OW64331	8412355643313			Red (530)		
VEL-OW64332	8412355643320			Green (650)		
VEL-OW64333	8412355643337			Purple (557)		
VEL-OW64335	8412355643351			Pink (895)		
VEL-OW64336	8412355643368			Aqua (893)		
VEL-OW64337	8412355643375	20mm x 150mm 100 units	20mm	Orange (700)	72	Bundle, wrap, fasten
VEL-OW64426	8412355644266			White (010)		
VEL-OW64427	8412355644273			Black (330)		
VEL-OW64428	8412355644280			Black (330 F.R.T.)		
VEL-OW64429	8412355644297			Royal Blue (131)		
VEL-OW64430	8412355644303			Yellow (750)		
VEL-OW64431	8412355644310			Red (530)		
VEL-OW64432	8412355644327			Green (650)		
VEL-OW64433	8412355644334			Purple (557)		
VEL-OW64435	8412355644358			Pink (895)		
VEL-OW64436	8412355644365	20mm x 200mm 100 units	20mm	Aqua (893)	64	Bundle, wrap, fasten
VEL-OW64437	8412355644372			Orange (700)		
VEL-OW64526	8412355645263			White (010)		
VEL-OW64527	8412355645270			Black (330)		
VEL-OW64528	8412355645287			Black (330 F.R.T.)		
VEL-OW64529	8412355645294			Royal Blue (131)		
VEL-OW64530	8412355645300			Yellow (750)		
VEL-OW64531	8412355645317			Red (530)		
VEL-OW64532	8412355645324			Green (650)		
VEL-OW64533	8412355645331			Purple (557)		
VEL-OW64535	8412355645355	20mm x 230mm 100 units	20mm	Pink (895)	64	Bundle, wrap, fasten
VEL-OW64536	8412355645362			Aqua (893)		
VEL-OW64537	8412355645379			Orange (700)		
VEL-OW64626	8412355646260			White (010)		
VEL-OW64627	8412355646277			Black (330)		
VEL-OW64628	8412355646284			Black (330 F.R.T.)		
VEL-OW64629	8412355646291			Royal Blue (131)		
VEL-OW64630	8412355646307			Yellow (750)		
VEL-OW64631	8412355646314			Red (530)		
VEL-OW64632	8412355646321			Green (650)		
VEL-OW64633	8412355646338	20mm x 330mm 100 units	20mm	Purple (557)	19	Bundle, wrap, fasten
VEL-OW64635	8412355646352			Pink (895)		
VEL-OW64636	8412355646369			Aqua (893)		
VEL-OW64637	8412355646376			Orange (700)		
VEL-OW64726	8412355647267			White (010)		
VEL-OW64727	8412355647274			Black (330)		
VEL-OW64728	8412355647281			Black (330 F.R.T.)		
VEL-OW64729	8412355647298			Royal Blue (131)		
VEL-OW64730	8412355647304			Yellow (750)		
VEL-OW64731	8412355647311			Red (530)		
VEL-OW64732	8412355647328	25mm x 300mm 100 units	25mm	Green (650)	13	Bundle, wrap, fasten
VEL-OW64733	8412355647335			Purple (557)		
VEL-OW64735	8412355647359			Pink (895)		
VEL-OW64736	8412355647366			Aqua (893)		
VEL-OW64737	8412355647373			Orange (700)		
VEL-OW64826	8412355648264			White (010)		
VEL-OW64827	8412355648271			Black (330)		
VEL-OW64828	8412355648288			Black (330 F.R.T.)		
VEL-OW64829	8412355648295			Royal Blue (131)		
VEL-OW64830	8412355648301			Yellow (750)		
VEL-OW64831	8412355648318			Red (530)		
VEL-OW64832	8412355648325			Green (650)		
VEL-OW64833	8412355648332			Purple (557)		
VEL-OW64835	8412355648356			Pink (895)		
VEL-OW64836	8412355648363			Aqua (893)		
VEL-OW64837	8412355648370			Orange (700)		

STRAPS & TAPES

STRAP • 750 UNITS SPOOL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64365	8412355643658	13mm x 200mm 750 units	13mm	White (010)	1	Bundle, wrap, fasten
VEL-OW64366	8412355643665			Black (330)		
VEL-OW64367	8412355643672			Black (330 F.R.T.)		
VEL-OW64368	8412355643689			Royal Blue (131)		
VEL-OW64369	8412355643696			Yellow (750)		
VEL-OW64370	8412355643702			Red (530)		
VEL-OW64371	8412355643719			Green (650)		
VEL-OW64372	8412355643726			Purple (557)		
VEL-OW64374	8412355643740			Pink (895)		
VEL-OW64375	8412355643757			Aqua (893)		
VEL-OW64376	8412355643764			Orange (700)		
VEL-OW64465	8412355644655	20mm x 150mm 750 units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-OW64466	8412355644662			Black (330)		
VEL-OW64467	8412355644679			Black (330 F.R.T.)		
VEL-OW64468	8412355644686			Royal Blue (131)		
VEL-OW64469	8412355644693			Yellow (750)		
VEL-OW64470	8412355644709			Red (530)		
VEL-OW64471	8412355644716			Green (650)		
VEL-OW64472	8412355644723			Purple (557)		
VEL-OW64474	8412355644747			Pink (895)		
VEL-OW64475	8412355644754			Aqua (893)		
VEL-OW64476	8412355644761			Orange (700)		
VEL-OW64565	8412355645652	20mm x 200mm 750 units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-OW64566	8412355645669			Black (330)		
VEL-OW64567	8412355645676			Black (330 F.R.T.)		
VEL-OW64568	8412355645683			Royal Blue (131)		
VEL-OW64569	8412355645690			Yellow (750)		
VEL-OW64570	8412355645706			Red (530)		
VEL-OW64571	8412355645713			Green (650)		
VEL-OW64572	8412355645720			Purple (557)		
VEL-OW64574	8412355645744			Pink (895)		
VEL-OW64575	8412355645751			Aqua (893)		
VEL-OW64576	8412355645768			Orange (700)		
VEL-OW64665	8412355646659	20mm x 230mm 750 units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-OW64666	8412355646666			Black (330)		
VEL-OW64667	8412355646673			Black (330 F.R.T.)		
VEL-OW64668	8412355646680			Royal Blue (131)		
VEL-OW64669	8412355646697			Yellow (750)		
VEL-OW64670	8412355646703			Red (530)		
VEL-OW64671	8412355646710			Green (650)		
VEL-OW64672	8412355646727			Purple (557)		
VEL-OW64674	8412355646741			Pink (895)		
VEL-OW64675	8412355646758			Aqua (893)		
VEL-OW64676	8412355646765			Orange (700)		
VEL-OW64765	8412355647656	20mm x 330mm 750 units	20mm	White (010)	1	Bundle, wrap, fasten
VEL-OW64766	8412355647663			Black (330)		
VEL-OW64767	8412355647670			Black (330 F.R.T.)		
VEL-OW64768	8412355647687			Royal Blue (131)		
VEL-OW64769	8412355647694			Yellow (750)		
VEL-OW64770	8412355647700			Red (530)		
VEL-OW64771	8412355647717			Green (650)		
VEL-OW64772	8412355647724			Purple (557)		
VEL-OW64774	8412355647748			Pink (895)		
VEL-OW64775	8412355647755			Aqua (893)		
VEL-OW64776	8412355647762			Orange (700)		
VEL-OW64865	8412355648653	25mm x 300mm 750 units	25mm	White (010)	1	Bundle, wrap, fasten
VEL-OW64866	8412355648660			Black (330)		
VEL-OW64867	8412355648677			Black (330 F.R.T.)		
VEL-OW64868	8412355648684			Royal Blue (131)		
VEL-OW64869	8412355648691			Yellow (750)		
VEL-OW64870	8412355648707			Red (530)		
VEL-OW64871	8412355648714			Green (650)		
VEL-OW64872	8412355648721			Purple (557)		
VEL-OW64874	8412355648745			Pink (895)		
VEL-OW64875	8412355648752			Aqua (893)		
VEL-OW64876	8412355648769			Orange (700)		



STRAPS & TAPES

TAPE

ONE-WRAP® Tape


VELCRO® Brand ONE-WRAP® Tape has proved its value as easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm ²




TAPE • 25M ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64100	8412355641005	25m of ONE-WRAP® Tape	10mm	White (010)	19	Bundle, wrap, fasten
VEL-OW64101	8412355641012			Black (330)		
VEL-OW64102	8412355641029			Black (330 F.R.T.)		
VEL-OW64103	8412355641036			Royal Blue (131)		
VEL-OW64104	8412355641043			Yellow (750)		
VEL-OW64105	8412355641050			Red (530)		
VEL-OW64106	8412355641067			Green (650)		
VEL-OW64107	8412355641074			Purple (557)		
VEL-OW64109	8412355641098			Pink (895)		
VEL-OW64110	8412355641104			Aqua (893)		
VEL-OW64111	8412355641111	25m of ONE-WRAP® Tape	13mm	Orange (700)	19	Bundle, wrap, fasten
VEL-OW64113	8412355641135			White (010)		
VEL-OW64114	8412355641142			Black (330)		
VEL-OW64115	8412355641159			Black (330 F.R.T.)		
VEL-OW64116	8412355641166			Royal Blue (131)		
VEL-OW64117	8412355641173			Yellow (750)		
VEL-OW64118	8412355641180			Red (530)		
VEL-OW64119	8412355641197			Green (650)		
VEL-OW64120	8412355641203			Purple (557)		
VEL-OW64122	8412355641227			Pink (895)		
VEL-OW64123	8412355641234			Aqua (893)		
VEL-OW64124	8412355641241			Orange (700)		



STRAPS & TAPES


TAPE • 25M ROLL						
REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64126	8412355641265	25m of ONE-WRAP® Tape	16mm	White (010)	19	Bundle, wrap, fasten
VEL-OW64127	8412355641272			Black (330)		
VEL-OW64128	8412355641289			Black (330 F.R.T.)		
VEL-OW64129	8412355641296			Royal Blue (131)		
VEL-OW64130	8412355641302			Yellow (750)		
VEL-OW64131	8412355641319			Red (530)		
VEL-OW64132	8412355641326			Green (650)		
VEL-OW64133	8412355641333			Purple (557)		
VEL-OW64135	8412355641357			Pink (895)		
VEL-OW64136	8412355641364			Aqua (893)		
VEL-OW64137	8412355641371			Orange (700)		
VEL-OW64139	8412355641395	25m of ONE-WRAP® Tape	20mm	White (010)	19	Bundle, wrap, fasten
VEL-OW64140	8412355641401			Black (330)		
VEL-OW64141	8412355641418			Black (330 F.R.T.)		
VEL-OW64142	8412355641425			Royal Blue (131)		
VEL-OW64143	8412355641432			Yellow (750)		
VEL-OW64144	8412355641449			Red (530)		
VEL-OW64145	8412355641456			Green (650)		
VEL-OW64146	8412355641463			Purple (557)		
VEL-OW64148	8412355641487			Pink (895)		
VEL-OW64149	8412355641494			Aqua (893)		
VEL-OW64150	8412355641500			Orange (700)		
VEL-OW64152	8412355641524	25m of ONE-WRAP® Tape	25mm	White (010)	13	Bundle, wrap, fasten
VEL-OW64153	8412355641531			Black (330)		
VEL-OW64154	8412355641548			Black (330 F.R.T.)		
VEL-OW64155	8412355641555			Royal Blue (131)		
VEL-OW64156	8412355641562			Yellow (750)		
VEL-OW64157	8412355641579			Red (530)		
VEL-OW64158	8412355641586			Green (650)		
VEL-OW64159	8412355641593			Purple (557)		
VEL-OW64161	8412355641616			Pink (895)		
VEL-OW64162	8412355641623			Aqua (893)		
VEL-OW64163	8412355641630			Orange (700)		
VEL-OW64165	8412355641654	25m of ONE-WRAP® Tape	30mm	White (010)	13	Bundle, wrap, fasten
VEL-OW64166	8412355641661			Black (330)		
VEL-OW64167	8412355641678			Black (330 F.R.T.)		
VEL-OW64168	8412355641685			Royal Blue (131)		
VEL-OW64169	8412355641692			Yellow (750)		
VEL-OW64170	8412355641708			Red (530)		
VEL-OW64171	8412355641715			Green (650)		
VEL-OW64172	8412355641722			Purple (557)		
VEL-OW64174	8412355641746			Pink (895)		
VEL-OW64175	8412355641753			Aqua (893)		
VEL-OW64176	8412355641760			Orange (700)		
VEL-OW64178	8412355641784	25m of ONE-WRAP® Tape	50mm	White (010)	8	Bundle, wrap, fasten
VEL-OW64179	8412355641791			Black (330)		
VEL-OW64180	8412355641807			Black (330 F.R.T.)		
VEL-OW64181	8412355641814			Royal Blue (131)		
VEL-OW64182	8412355641821			Yellow (750)		
VEL-OW64183	8412355641838			Red (530)		
VEL-OW64184	8412355641845			Green (650)		
VEL-OW64185	8412355641852			Purple (557)		
VEL-OW64187	8412355641876			Pink (895)		
VEL-OW64188	8412355641883			Aqua (893)		
VEL-OW64189	8412355641890			Orange (700)		



LOGISTRAP® Strap

VELCRO® Brand LOGISTRAP® Strap is a reusable Strap that can easily be opened and closed which will reduce the time people will use to secure a load and eliminate time required in movement to, and maintenance of, alternative equipment. No tools are required. LOGISTRAP® Strap is very soft which avoids the scratching of surfaces.

CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm ²



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20024	8412355200240	50mm x 4m strap 2 units	50mm			5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers
VEL-PS20025	8412355200257	50mm x 6m strap 2 units	50mm			5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers



Product tested by:

- ITENE (Packaging, Transport & Logistics research center), Spain
- KaHo Sint-Lieven University, Belgium




GREEN TIE

Our VELCRO® Brand GREEN TIE provides support for your most delicate plants, as well as the rebels that have a bit of trouble staying upright on their own. Our clever Hook and Loop system means you can easily re-wrap the tie as your plants bloom.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Low
	PEEL	-
	SHEAR	Min. 7 N/cm²



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20026	8412355200264	5 meters of Self-engaging Tape	12mm			144	Bundle, wrap, fasten



ADDITIONAL INFORMATION: SALES PROMOTION TOOLS

TRY THE PRODUCT CARDS & DESK DISPLAYS



STAND UP DISPLAYS



PERFORMANCE				
+ CLOSURE AND ADHESIVE STRENGTHS -	HIGH			
	MEDIUM		 	
	LOW			
		LOW	MEDIUM	HIGH
		- NUMBER OF CYCLES +		

USES

FLOOR FIXATION		MATERIALS HANDLING	
CABLE MANAGEMENT		AGRICULTURE & GARDENING	

Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 60 years and own over 400 active patents and numerous trademarks, including the VELCRO® Brand trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.


To buy genuine VELCRO® Brand products and to find out more about our company, visit www.velcro.com

Global Footprint

Quality Standards

Innovation

Living Brand

Infinite Applications

Hidden Hero

NAM
USA

Velcro USA Inc.
 Tel: (+1) 800 225 0180
marketing@velcro.com
www.velcro.com

Canada

Velcro Canada Inc.
 Tel: (+1) 800 683 5276
canada@velcro.com
www.velcro.com

LATAM
Mexico

Velcro de México, S.A. de C.V.
 Tlalnepantla de Baz,
 Edo. de México
 Tel: (+52) 55 5005 3300
infovdmex@velcro.com
www.velcrodemexico.com

León, Gto
 Tel: (+52) 477 980 0630
infovdmex@velcro.com
www.velcrodemexico.com

Uruguay

Velcro Industrial
 del Uruguay S.A.
 Tel: (+598) 2288 0008
infovurg@velcro.com
www.velcro.com

Brazil

Velcro Brasil Importação,
 Exportação e Comércio de
 Sistemas de Fixação Ltda.
 Campo Bom, RS
 Tel: (+55) 51 3599 1483
infovbraz@velcro.com
www.velcro.com.br
 Sumaré, SP
 Tel: (+55) 11 3197 2588
infovbraz@velcro.com
www.velcro.com.br

EMEA
Spain

Velcro Europe S.A.
 Tel: (+34) 93 758 32 98
infovesa@velcro.com
www.velcro.es

Germany

Velcro GmbH
 Tel: (+49) 7141 991 19-0
infovgmbh@velcro.com
www.velcro.de

France

Velcro Industries France S.A.S.
 Tel: (+33) 1 34 38 78 88
infovif@velcro.com
www.velcro.fr

Belgium

Alfatex N.V.
 Tel: (+32) 9 386 12 18
infoebe@velcro.com
www.velcro.be

Italy

Velcro Italia, S.R.L.
 Tel: (+39) 039 62 70 01
infoveit@velcro.com
www.velcro.it

UK

Velcro Ltd.
 Tel: (+44) 1606 738 806
infovltld@velcro.com
www.velcro.co.uk

Poland

Velcro Poland Sp. z o.o.
 Tel: (+48) 71 661 90 34
infovpl@velcro.com
www.velcro.pl

APAC
Australia

Velcro Australia Pty. Ltd.
 Tel: (+61) 3 9703 2466
infovaus@velcro.com
www.velcro.com.au

China

Velcro China Fastening
 Systems Company Limited
 Tel: (+86) 512 8164 5888
infovch@velcro.com
www.velcro.com.cn

Hong Kong

Velcro Hong Kong Ltd.
 Tel: (+852) 2570 3698
infovhk@velcro.com
www.velcro.com.hk

Vietnam

Velcro Vietnam Company Limited
 Tel: (+84) 274 2222 497
infovn@velcro.com
www.velcro.com