

EPDM BUISBEUGEL “QUICK” ENKELE BOUTBEVESTIGING SCHARNIERPUNT



COMBIMOER M8/M10

DESCRIPTION:

Single-screw pipe clamp is produced as from a dimension of 1/8" to 4".

Single-screw pipe clamp system is equipped with a quick-clamping catch fastener for easy, fast and safe mounting.

It is characterized by sufficient stiffness and good anticorrosive protection.

Pipe clamp in dimensions from 1/4" to 4" is equipped with combined clamping head M8/M10."

FIELDS:

Water, heat, gas

Steam pipes and chimneys (combined
with a silicone profile)

Waste pipes

Pneumatic tube

USE:

Steel pipes

Plastic pipes

Copper pipes

Cast iron pipes

Glass pipes

ADVANTAGES:

It enables one-hand mounting.

A pipe is preassembled by mere snapping.

The quick-clamping system protects the clamp against uncontrollable opening after snapping.

Compact structural design of the clamp enables simple and full piping insulation without larger overlap in the area of the toggle and closing device. All this is possible even using a small thickness of insulating material.

It prevents the action of electrolysis.

Single-screw pipe clamps with a snap lock satisfy the highest requirements while mounting on walls, ceilings and floors but also in connection with pipes used in sanitary installations.

The pipe clamp is checked regarding noise protection according to DIN 4109.

This product is registered at [European Designs](#).

TECHNICAL DATA OF PIPE CLAMP:

Load causing break due to centric tension:	1,8 kN
--	--------

Maximum safe centric load:	0,8 kN
----------------------------	--------

Pipe clamp material:	DIN EN 10111
----------------------	--------------

Surface coating:	zinc plated
------------------	-------------

Certificate:	TZUS:No.204/C5/2013/070-045127
--------------	--------------------------------



TECHNICAL DATA OF RUBBER LINING:

Material:

EPDM

Reaction to fire:

DIN 4102:1998

Building material class:

B2

Use within temperature range:



from -50°C to +120°C

Hardness of rubber lining:

45° ±5 Shore A/15s

Noise protection:

DIN 4109




Supply No.	Name	D	D	DN	M	S	K	L	T	H	h	Package
		(mm)	(")	(mm)	Nut	Screw	(mm)	(mm)	(mm)	(mm)	(mm)	(pcs)
11111216	Single-screw pipe clamp M8/M10, 12–16mm 1/4"	12–16	1/4	8	M8/M10	M5 × 25 mm	20	48	1	44	31,5	100
11111719	Single-screw pipe clamp M8/M10, 17–19mm 3/8"	17–19	3/8	10	M8/M10	M5 × 25 mm	20	51	1	47	33	100
11112023	Single-screw pipe clamp M8/M10, 20–23mm 1/2"	20–23	1/2	15	M8/M10	M5 × 25 mm	20	57	1	51	35	100
11112530	Single-screw pipe clamp M8/M10, 25–30mm 3/4"	25–30	3/4	20	M8/M10	M5 × 25 mm	20	71	1	58	38,5	100
11113138	Single-screw pipe clamp M8/M10, 31–38mm 1"	31–38	1	25	M8/M10	M5 × 25 mm	20	65	1	66	42,5	100
11114046	Single-screw pipe clamp M8/M10, 40–46mm 5/4"	40–46	5/4	32	M8/M10	M5 × 25 mm	20	79	1	74	46,5	100
11114853	Single-screw pipe clamp M8/M10, 48–53mm 6/4"	48–53	6/4	40	M8/M10	M5 × 25 mm	20	88	1	81	50	50
11116064	Single-screw pipe clamp M8/M10 60–64mm 2"	60–64	2	50	M8/M10	M5 × 25 mm	20	100	1,2	92,4	55,9	50
11007278	Single-screw pipe clamp M8/M10 72–78mm 2"	72–78	2 1/2	65	M8/M10	M6 × 30 mm	25	113	1,5	109	64,5	50
11008792	Single-screw pipe clamp M8/M10 87–92mm 3"	87–92	3	80	M8/M10	M6 × 30 mm	25	127	1,5	123	71,5	50
11102116	Single-screw pipe clamp M8/M10 102–116mm 4"	102–116	4	100	M8/M10	M6 × 30 mm	25	153	2	148	84,5	50

CROSS-REFERENCE LABEL :

Konarik	WT ARTIKELNUMMER			Type	Afmeting			Schroef	Band		Inhoud					
	Industrial pack	WT system	WT system		Klemdiameter						I-pack/pcs		R-pack/pcs		S-pack/pcs	
Partnr.	Fabric pack	Retail pack	Small pack		ø mm	"mm		D x L	Breedte x Dikte		Pack	Carton	Pack	Carton	Pack	Carton
11111216	IAVZIMQE012016-0100	IAVZRWTQE014015-0050	IAVZSWTQE014015-2001	M8/M10	12–16	1/4"		M5 × 25 mm	20 x 1,0		100		50	10x50	1	100x1
11111719	IAVZIMQE017019-0100	IAVZRWTQE016018-0050	IAVZSWTQE016018-2001	M8/M10	17–19	3/8"		M5 × 25 mm	20 x 1,0		100		50	10x50	1	100x1
11112023	IAVZIMQE020023-0100	IAVZRWTQE020022-0050	IAVZSWTQE020022-2001	M8/M10	20–23	1/2"		M5 × 25 mm	20 x 1,0		100		50	10x50	1	100x1
11112530	IAVZIMQE025030-0100	IAVZRWTQE025027-0050	IAVZSWTQE025027-2001	M8/M10	25–30	3/4"		M5 × 25 mm	20 x 1,0		100		50	10x50	1	100x1
11113138	IAVZIMQE031038-0100	IAVZRWTQE028030-0050	IAVZSWTQE028030-E001	M8/M10	31–38	1"		M5 × 25 mm	20 x 1,0		100		50	10x50	1	100x1
11114046	IAVZIMQE040046-0100	IAVZRWTQE042044-0025	IAVZSWTQE042044-E001	M8/M10	40–46	5/4"		M5 × 25 mm	20 x 1,0		100		25	10x25	1	100x1
11114853	IAVZIMQE048053-0050	IAVZRWTQE048050-0025	IAVZSWTQE048050-E001	M8/M10	48–53	6/4"		M5 × 25 mm	20 x 1,0		50		25	10x25	1	100x1
11116064	IAVZIMQE060064-0050			M8/M10	60-64	2"		M5 × 25 mm	20 x 1,2		50					
11007278	IAVZIMQE072078-0050			M8/M10	72-78	2 1/2"		M6 × 30 mm	25 x 1,5		50					
11008792	IAVZIMQE087092-0050			M8/M10	87-92	3"		M6 × 30 mm	25 x 1,2		50					
11102116	IAVZIMQE102106-0050			M8/M10	102-106	4"		M6 × 30 mm	25 x 1,2		50					

HOW TO USE :



ADVIES : GEBRUIK DEZE BEVESTIGINGSMATERIALEN :

