

KOUDE BEUGEL
MET 13 MM PUR-ISOLATIE
VERZINKT

KOŇAŘÍK®
závěsová technika



DESCRIPTION:

The KX insulation clamp is used if the installed piping system needs to be skinned.

FIELDS:

Cooling and freezing technology

USE:

Steel pipes

Copper pipes




Stainless steel pipes

TECHNICAL DATA:

PUR substance(without FCKW):	density 80 kg/m3
Use within temperature range:	from -50 °C to +105 °C
Use at temperature:	≥10 °C
Thermal conductivity:	0,039 W/mk
Storage temperature	≥10 °C
Colour:	black
Building material class:	DIN 4102-B2 (flammable)
	DIN 4102-B1 (not easily flammable)

Name	M Nut	Diameter of pipe	Supply. No	Insulation B (mm)	Package (pcs)
Insulating clamp KX-T	M8	10	46813010	13	1
Insulating clamp KX-T	M8	12	46813012	13	1
Insulating clamp KX-T	M8	15	46813015	13	1
Insulating clamp KX-T	M8	18	46813018	13	1
Insulating clamp KX-T	M8	22	46813022	13	1
Insulating clamp KX-T	M8/M10	28	46813028	13	1
Insulating clamp KX-T	M8/M10	35	46813035	13	1
Insulating clamp KX-T	M8/M10	42	46813042	13	1
Insulating clamp KX-T	M8/M10	48	46813048	13	1
Insulating clamp KX-T	M8/M10	54	46813054	13	1
Insulating clamp KX-T	M8/M10	57	46813057	13	1
Insulating clamp KX-T	M8/M10	60	46813060	13	1
Insulating clamp KX-T	M8/M10	64	46813064	13	1
Insulating clamp KX-T	M8/M10	70	46813070	13	1

Name	M Nut	Diameter of pipe	Supply. No	Insulation B (mm)	Package (pcs)
Insulating clamp KX-T	M8/M10	76	46813076	13	1
Insulating clamp KX-T	M8/M10	89	46813089	13	1
Insulating clamp KX-T	M8/M10	102	46813102	13	1
Insulating clamp KX-T	M8/M10	108	46813108	13	1
Insulating clamp KX-T	M8/M10	114	46813114	13	1
Insulating clamp KX-T	M12, M16, 1/2"	133	46813133	13	1
Insulating clamp KX-T	M12, M16, 1/2"	140	46813140	13	1
Insulating clamp KX-T	M12, M16, 1/2"	160	46813160	13	1
Insulating clamp KX-T	M12, M16, 1/2"	165	46813165	13	1
Insulating clamp KX-T	M12, M16, 1/2"	168	46813168	13	1
Insulating clamp KX-T	M12, M16, 1/2"	216	46813216	13	1
Insulating clamp KX-T	M12, M16, 1/2"	219	46813219	13	1
Insulating clamp KX-T	M12, M16, 1/2"	267	46813267	13	1
Insulating clamp KX-T	M12, M16, 1/2"	273	46813273	13	1



CROSS-REFERENCE TABEL :


Fabr. Partnr.	WT ARTIKELNUMMER			Type	Afmeting		Inhoud					
	Industrial pack Fabric pack	WT system Retail pack	WT system Small pack		Buis Ø	Isolatie Dikte	I-pack/pcs Pack	Carton			R-pack/pcs Pack	Carton
46813010	II13IZM-CZM08010-001	x	x	Koudebeugel KXT	10	13	50	500				
46813012	II13IZM-CZM08012-001	x	x	Koudebeugel KXT	12	13	50	500				
46813015	II13IZM-CZM08015-001	x	x	Koudebeugel KXT	15	13	50	500				
46813018	II13IZM-CZM08018-001	x	x	Koudebeugel KXT	18	13	50	500				
46813022	II13IZM-CZM08022-001	x	x	Koudebeugel KXT	22	13	50	500				
46813028	II13IZM-CZM10028-001	x	x	Koudebeugel KXT	28	13	50	500				
46813035	II13IZM-CZM10035-001	x	x	Koudebeugel KXT	35	13	50	500				
46813042	II13IZM-CZM10042-001	x	x	Koudebeugel KXT	42	13	50	500				
46813048	II13IZM-CZM10048-001	x	x	Koudebeugel KXT	48	13	50	500				
46813054	II13IZM-CZM10054-001	x	x	Koudebeugel KXT	54	13	50	500				
46813057	II13IZM-CZM10057-001	x	x	Koudebeugel KXT	57	13	50	500				
46813060	II13IZM-CZM10060-001	x	x	Koudebeugel KXT	60	13	50	500				
46813064	II13IZM-CZM10064-001	x	x	Koudebeugel KXT	64	13	50	500				
46813070	II13IZM-CZM10070-001	x	x	Koudebeugel KXT	70	13	50	500				
46813076	II13IZM-CZM10076-001	x	x	Koudebeugel KXT	76	13	25	250				
46813089	II13IZM-CZM10089-001	x	x	Koudebeugel KXT	89	13	25	250				
46813102	II13IZM-CZM10102-001	x	x	Koudebeugel KXT	102	13	25	250				
46813108	II13IZM-CZM10108-001	x	x	Koudebeugel KXT	108	13	25	250				
46813114	II13IZM-CZM10114-001	x	x	Koudebeugel KXT	114	13	25	250				
46813133	II13IZM-CZUNI133-001	x	x	Koudebeugel KXT	133	13	10	100				
46813140	II13IZM-CZUNI140-001	x	x	Koudebeugel KXT	140	13	10	100				
46813160	II13IZM-CZUNI160-001	x	x	Koudebeugel KXT	160	13	10	100				
46813165	II13IZM-CZUNI165-001	x	x	Koudebeugel KXT	165	13	10	100				
46813168	II13IZM-CZUNI168-001	x	x	Koudebeugel KXT	168	13	10	100				
46813216	II13IZM-CZUNI216-001	x	x	Koudebeugel KXT	216	13	5	50				
46813219	II13IZM-CZUNI219-001	x	x	Koudebeugel KXT	219	13	5	50				
46813267	II13IZM-CZUNI267-001	x	x	Koudebeugel KXT	267	13	5	50				
46813273	II13IZM-CZUNI273-001	x	x	Koudebeugel KXT	273	13	5	50				

HOW TO USE :


1. Open the pipe hanger and place it upon



2. Apply glue upon the bearing area of the hanger(incl. the gutter).



3. Press the hanger firmly against the pipe, remove adhesive tape and press firmly again (incl. the black PVC foil).



4. Mount a pipe clamp or a support upon the hanger.

