

KOUDE BEUGEL
MET 19 MM PUR-ISOLATIE
VERZINKT

KOŇAŘÍK[®]
závěsová technika



DESCRIPTION:

The KX insulation clamp is used if the installed piping system needs to be skinned.

FIELDS:

Cooling and freezing technology

USE:

Steel pipes

Copper pipes

Stainless steel pipes

TECHNICAL DATA:

PUR substance(without FCKW):

density 80 kg/m³

Use within temperature range:

from -50 °C to +105 °C

Use at temperature:

≥10 °C

Thermal conductivity:

0,039 W/mk

Storage temperature

≥10 °C

Colour:

black


Building material class:

DIN 4102-B2 (flammable)

DIN 4102-B1 (not easily flammable)

Name	M Nut	Diameter of pipe	Supply. No	Insulation B (mm)	Package (pcs)
Insulating clamp KX-T	M8	10	46819010	19	1
Insulating clamp KX-T	M8	12	46819012	19	1
Insulating clamp KX-T	M8	15	46819015	19	1
Insulating clamp KX-T	M8	18	46819018	19	1
Insulating clamp KX-T	M8	22	46819022	19	1
Insulating clamp KX-T	M8/M10	28	46819028	19	1
Insulating clamp KX-T	M8/M10	35	46819035	19	1
Insulating clamp KX-T	M8/M10	42	46819042	19	1
Insulating clamp KX-T	M8/M10	48	46819048	19	1
Insulating clamp KX-T	M8/M10	54	46819054	19	1
Insulating clamp KX-T	M8/M10	57	46819057	19	1
Insulating clamp KX-T	M8/M10	60	46819060	19	1
Insulating clamp KX-T	M8/M10	64	46819064	19	1
Insulating clamp KX-T	M8/M10	70	46819070	19	1

Name	M Nut	Diameter of pipe	Supply. No	Insulation B (mm)	Package (pcs)
Insulating clamp KX-T	M8/M10	76	46819076	19	1
Insulating clamp KX-T	M8/M10	89	46819089	19	1
Insulating clamp KX-T	M8/M10	102	46819102	19	1
Insulating clamp KX-T	M8/M10	108	46819108	19	1
Insulating clamp KX-T	M8/M10	114	46819114	19	1
Insulating clamp KX-T	M12, M16, 1/2"	133	46819133	19	1
Insulating clamp KX-T	M12, M16, 1/2"	140	46819140	19	1
Insulating clamp KX-T	M12, M16, 1/2"	160	46819160	19	1
Insulating clamp KX-T	M12, M16, 1/2"	165	46819165	19	1
Insulating clamp KX-T	M12, M16, 1/2"	168	46819168	19	1
Insulating clamp KX-T	M12, M16, 1/2"	216	46819216	19	1
Insulating clamp KX-T	M12, M16, 1/2"	219	46819219	19	1
Insulating clamp KX-T	M12, M16, 1/2"	267	46819267	19	1
Insulating clamp KX-T	M12, M16, 1/2"	273	46819273	19	1



CROSS-REFERENCE TABEL :

Fabr. Partnr.	WT ARTIKELNUMMER			Type	Afmeting		I-pack/pcs		Inhoud		S-pack/pcs	
	Industrial pack Fabric pack	WT system Retail pack	WT system Small pack		Buis Ø	Isolatie Dikte	Pack	Carton	R-pack/pcs Pack	Carton	Pack	Carton
46819010	II19IZM-CZM08010-001	x	x	Koudebeugel KXT	10	19	50	500				
46819012	II19IZM-CZM08012-001	x	x	Koudebeugel KXT	12	19	50	500				
46819015	II19IZM-CZM08015-001	x	x	Koudebeugel KXT	15	19	50	500				
46819018	II19IZM-CZM08018-001	x	x	Koudebeugel KXT	18	19	50	500				
46819022	II19IZM-CZM10022-001	x	x	Koudebeugel KXT	22	19	50	500				
46819028	II19IZM-CZM10028-001	x	x	Koudebeugel KXT	28	19	50	500				
46819035	II19IZM-CZM10035-001	x	x	Koudebeugel KXT	35	19	50	500				
46819042	II19IZM-CZM10042-001	x	x	Koudebeugel KXT	42	19	50	500				
46819048	II19IZM-CZM10048-001	x	x	Koudebeugel KXT	48	19	50	500				
46819054	II19IZM-CZM10054-001	x	x	Koudebeugel KXT	54	19	50	500				
46819057	II19IZM-CZM10057-001	x	x	Koudebeugel KXT	57	19	50	500				
46819060	II19IZM-CZM10060-001	x	x	Koudebeugel KXT	60	19	50	500				
46819064	II19IZM-CZM10064-001	x	x	Koudebeugel KXT	64	19	50	500				
46819070	II19IZM-CZM10070-001	x	x	Koudebeugel KXT	70	19	50	500				
46819076	II19IZM-CZM10076-001	x	x	Koudebeugel KXT	76	19	25	250				
46819089	II19IZM-CZM10089-001	x	x	Koudebeugel KXT	89	19	25	250				
46819102	II19IZM-CZM10102-001	x	x	Koudebeugel KXT	102	19	25	250				
46819108	II19IZM-CZM10108-001	x	x	Koudebeugel KXT	108	19	25	250				
46819114	II19IZM-CZM10114-001	x	x	Koudebeugel KXT	114	19	25	250				
46819133	II19IZM-CZUNI133-001	x	x	Koudebeugel KXT	133	19	10	100				
46819140	II19IZM-CZUNI140-001	x	x	Koudebeugel KXT	140	19	10	100				
46819160	II19IZM-CZUNI160-001	x	x	Koudebeugel KXT	160	19	10	100				
46819165	II19IZM-CZUNI165-001	x	x	Koudebeugel KXT	165	19	10	100				
46819168	II19IZM-CZUNI168-001	x	x	Koudebeugel KXT	168	19	10	100				
46819216	II19IZM-CZUNI216-001	x	x	Koudebeugel KXT	216	19	5	50				
46819219	II19IZM-CZUNI219-001	x	x	Koudebeugel KXT	219	19	5	50				
46819267	II19IZM-CZUNI267-001	x	x	Koudebeugel KXT	267	19	5	50				
46819273	II19IZM-CZUNI273-001	x	x	Koudebeugel KXT	273	19	5	50				


HOW TO USE :

1. Open the pipe hanger and place it upon




1

2. Apply glue upon the bearing area of the hanger (incl. the gutter).




2

3. Press the hanger firmly against the pipe, remove adhesive tape and press firmly again (incl. the black PVC foil).



3

4. Mount a pipe clamp or a support upon the hanger.



4