



KOUDE BEUGEL
MET 32 MM PUR-ISOLATIE
VERZINKT



DESCRIPTION:

The KX insulation clamp is used if the installed piping system needs to be skinned.

FIELDS:

Cooling and freezing technology

USE:

Steel pipes

Copper pipes




Stainless steel pipes

TECHNICAL DATA:

PUR substance(without FCKW):	density 80 kg/m3
Use within temperature range:	from -50 °C to +105 °C
Use at temperature:	≥10 °C
Thermal conductivity:	0,039 W/mk
Storage temperature	≥10 °C
Colour:	black
Building material class:	DIN 4102-B2 (flammable)
	DIN 4102-B1 (not easily flammable)

Name	M Nut	Diameter of pipe	Supply. No	Insulation B (mm)	Package (pcs)
Insulating clamp KX-T	M8	10	46832010	32	1
Insulating clamp KX-T	M8	12	46832012	32	1
Insulating clamp KX-T	M8	15	46832015	32	1
Insulating clamp KX-T	M8	18	46832018	32	1
Insulating clamp KX-T	M8	22	46832022	32	1
Insulating clamp KX-T	M8/M10	28	46832028	32	1
Insulating clamp KX-T	M8/M10	35	46832035	32	1
Insulating clamp KX-T	M8/M10	42	46832042	32	1
Insulating clamp KX-T	M8/M10	48	46832048	32	1
Insulating clamp KX-T	M8/M10	54	46832054	32	1
Insulating clamp KX-T	M8/M10	57	46832057	32	1
Insulating clamp KX-T	M8/M10	60	46832060	32	1
Insulating clamp KX-T	M8/M10	64	46832064	32	1
Insulating clamp KX-T	M8/M10	70	46832070	32	1

Name	M Nut	Diameter of pipe	Supply. No	Insulation B (mm)	Package (pcs)
Insulating clamp KX-T	M8/M10	76	46832076	32	1
Insulating clamp KX-T	M8/M10	89	46832089	32	1
Insulating clamp KX-T	M8/M10	102	46832102	32	1
Insulating clamp KX-T	M8/M10	108	46832108	32	1
Insulating clamp KX-T	M8/M10	114	46832114	32	1
Insulating clamp KX-T	M12, M16, 1/2"	133	46832133	32	1
Insulating clamp KX-T	M12, M16, 1/2"	140	46832140	32	1
Insulating clamp KX-T	M12, M16, 1/2"	160	46832160	32	1
Insulating clamp KX-T	M12, M16, 1/2"	165	46832165	32	1
Insulating clamp KX-T	M12, M16, 1/2"	168	46832168	32	1
Insulating clamp KX-T	M12, M16, 1/2"	216	46832216	32	1
Insulating clamp KX-T	M12, M16, 1/2"	219	46832219	32	1
Insulating clamp KX-T	M12, M16, 1/2"	267	46832267	32	1
Insulating clamp KX-T	M12, M16, 1/2"	273	46832273	32	1



CROSS-REFERENCE TABEL :


Fabr. Partnr.	WT ARTIKELNUMMER			Type	Afmeting		Inhoud					
	Industrial pack Fabric pack	WT system Retail pack	WT system Small pack		Buis Ø	Isolatie Dikte	I-pack/pcs Pack	Carton			R-pack/pcs Pack	Carton
46832010	II32IZM-CZM10010-001	x	x	Koudebeugel KXT	10	32	50	500				
46832012	II32IZM-CZM10012-001	x	x	Koudebeugel KXT	12	32	50	500				
46832015	II32IZM-CZM10015-001	x	x	Koudebeugel KXT	15	32	50	500				
46832018	II32IZM-CZM10018-001	x	x	Koudebeugel KXT	18	32	50	500				
46832022	II32IZM-CZM10022-001	x	x	Koudebeugel KXT	22	32	50	500				
46832028	II32IZM-CZM10028-001	x	x	Koudebeugel KXT	28	32	50	500				
46832035	II32IZM-CZM10035-001	x	x	Koudebeugel KXT	35	32	50	500				
46832042	II32IZM-CZM10042-001	x	x	Koudebeugel KXT	42	32	50	500				
46832048	II32IZM-CZM10048-001	x	x	Koudebeugel KXT	48	32	50	500				
46832054	II32IZM-CZM10054-001	x	x	Koudebeugel KXT	54	32	50	500				
46832057	II32IZM-CZM10057-001	x	x	Koudebeugel KXT	57	32	50	500				
46832060	II32IZM-CZM10060-001	x	x	Koudebeugel KXT	60	32	50	500				
46832064	II32IZM-CZM10064-001	x	x	Koudebeugel KXT	64	32	50	500				
46832070	II32IZM-CZM10070-001	x	x	Koudebeugel KXT	70	32	50	500				
46832076	II32IZM-CZM10076-001	x	x	Koudebeugel KXT	76	32	25	250				
46832089	II32IZM-CZM10089-001	x	x	Koudebeugel KXT	89	32	25	250				
46832102	II32IZM-CZM10102-001	x	x	Koudebeugel KXT	102	32	25	250				
46832108	II32IZM-CZM10108-001	x	x	Koudebeugel KXT	108	32	25	250				
46832114	II32IZM-CZM10114-001	x	x	Koudebeugel KXT	114	32	25	250				
46832133	II32IZM-CZUNI133-001	x	x	Koudebeugel KXT	133	32	10	100				
46832140	II32IZM-CZUNI140-001	x	x	Koudebeugel KXT	140	32	10	100				
46832160	II32IZM-CZUNI160-001	x	x	Koudebeugel KXT	160	32	10	100				
46832165	II32IZM-CZUNI165-001	x	x	Koudebeugel KXT	165	32	10	100				
46832168	II32IZM-CZUNI168-001	x	x	Koudebeugel KXT	168	32	10	100				
46832216	II32IZM-CZUNI216-001	x	x	Koudebeugel KXT	216	32	5	50				
46832219	II32IZM-CZUNI219-001	x	x	Koudebeugel KXT	219	32	5	50				
46832267	II32IZM-CZUNI267-001	x	x	Koudebeugel KXT	267	32	5	50				
46832273	II32IZM-CZUNI273-001	x	x	Koudebeugel KXT	273	32	5	50				

HOW TO USE :


1. Open the pipe hanger and place it upon



2. Apply glue upon the bearing area of the hanger(incl. the gutter).



3. Press the hanger firmly against the pipe, remove adhesive tape and press firmly again (incl. the black PVC foil).



4. Mount a pipe clamp or a support upon the hanger.

