

MONTAGE KOPPELSTUKKEN

VOOR RAILS

STAAL VERZINKT



Description:

Rail connectors are designed for right-angled connections of fixing rails. Connection fasteners are not a part of rail connectors.

Recommended connection accessories:

L/28, T/28, X/28

(Screw DIN 933 M6, M8×..., washer 6, 8, slide nut 27/18, 28/30 M6, M8 or hexagonal nut DIN 934 M6, M8)

L/40, T/40, X/40

(Screw DIN 933 M8, M10×..., rail washer 8, 10, slide nut 38/40, 40/60, ST M8, M10 or hexagonal nut DIN 934 M8, M10)

The screw length is selected as necessary.


Material : Steel class 5.6 - zinc plated

Supply No.	Name	A (mm)	B (mm)	C (mm)	D (mm)	T (mm)	Suitable for profile	Package (pcs)
36512830	Rail connector L/28 (27/18+28/30)	28	60	30	9	3	27/18, 28/30	10
36522830	Rail connector T/28 (27/18+28/30)	28	60	30	9	3	27/18, 28/30	10
36532830	Rail connector X/28 (27/18+28/30)	28	60	30	9	4	27/18, 28/30	10
36584060	Rail connector L/40 (38/40+40/60)	40	60	30	11	3	38/40, 40/60, ST41/21, 41, 62	10
36594060	Rail connector T/40 (38/40+40/60)	40	60	30	11	3	38/40, 40/60, ST41/21, 41, 62	10
36595060	Rail connector X/40 (38/40+40/60)	40	60	30	11	4	38/40, 40/60, ST41/21, 41, 62	10


CROSS REFERENCE TABEL :

Konarik Partnr.	WT ARTIKELNUMMER						Inhoud					
	Industrial pack Fabric pack	WT system Retail pack	WT system Small pack				I-pack/pcs		R-pack/pcs		S-pack/pcs	
							Pack	Carton	Pack	Carton	Pack	Carton
36512830	IUVRIZM-272803TK-010	x	IUVZSWT-LK272803-E01				10	200			1X1	10X1
36522830	IUVRIZM-272803TL-010	x	IUVZSWT-TK272803-E01				10	200			1X1	10X1
36532830	IUVRIZM-272803TX-010	x	x				10	200				
36584060	IUVRIZM-3840STTL-010	x	IUVZSWT-LK3840ST-E01				10	200			1X1	10X1
36594060	IUVRIZM-3840STTK-010	x	IUVZSWT-TK3840ST-E01				10	200			1X1	10X1
36595060	IUVRIZM-3840STTX-010	x	x				10	200				


36512830/36584060



36532830/36595060




36522830/36594060




HOW TO USE:




1



2



3




4


HOW TO USE:




1



2



3



4


HOW TO USE:




1



2



3



4