

MONTAGEKOPPELING VOOR RAILS (RECHT) STAAL VERZINKT met 4 bouten



Description:

Using this rail connector for fixing rails can be precisely aligned and connected or prolonged to a desired length. Fixing rails are inserted into the ends of the connecting component and screwed.

Rail connector for fixing rails are supplied with fasteners.

Material :


Steel class 5.6 - zinc plated

Supply No.	Name	H (mm)	B (mm)	L (mm)	T (mm)	Fasteners	Suitable for profile	Package (pcs)
38000010	Rail connector 27/18, 28/30	15	34	150	2	M8	27/18, 28/30	50
38000015	Rail connector 38/40, 40/60	22	48	150	3	M10	38/40, 40/60	50
32904002	Rail connector ST	22	48	150	3	M10	ST41/21, 41, 62, 82	25


CROSS REFERENCE TABLE :

Konarik Partnr.	WT ARTIKELNUMMER						Inhoud					
	Industrial pack Fabric pack	WT system Retail pack	WT system Small pack				I-pack/pcs		R-pack/pcs		S-pack/pcs	
							Pack	Carton	Pack	Carton	Pack	Carton
38000010	IUVRIZM-27284BKO-050	x	IUVZSWT-RK27284B-E01				50	500			1X1	10X1
38000015	IUVRIZM-38404BKO-050	x	IUVZSWT-RK38404B-E01				50	500			1X1	10X1
32904002	IUVRIZM-ST414BKO-025	x	IUVZSWT-RK41ST4B-E01				25	250			1X1	10X1


38000010/38000015




32904002



HOW TO USE:



1



2



3



4