

KLEMRONDEL VOOR BEVESTIGING OP RAILS STAAL VERZINKT



Description:


The U-washer is used as a stable washer for fixing rails and cantilever arms. Due to special shape that prevents deformation and expansion of fixing rail under the load.

Material : Steel class 5.6 - zinc plated

Supply No.	Name	A (mm)	B (mm)	Hole D (mm)	Thickness T (mm)	Suitable for profile	Package (pcs)
31600027	U-washer type FIX 27/18,28/30, diameter 11mm	28,8	27	11	1,5	27/18, 28/30	50
31600038	U-washer type FIX 38/40,40/60, diameter13mm	40,8	40	13	2	38/40, 40/60	50
31600039	U-washer type FIX ST diameter 8,4mm	41,8	40	8,4	3	ST 41/21, 41 ,62, 82	20
31600040	U-washer type FIX ST diameter 10,5mm	41,8	40	10,5	3	ST 41/21, 41 ,62, 82	20
31600041	U-washer type FIX ST diameter 13mm	41,8	40	13	3	ST 41/21, 41 ,62, 82	20

CROSS REFERENCE TABLE :

Konarik Partnr.	WT ARTIKELNUMMER						Inhoud					
	Industrial pack Fabric pack	WT system Retail pack	WT system Small pack				I-pack/pcs		R-pack/pcs		S-pack/pcs	
							Pack	Carton	Pack	Carton	Pack	Carton
31600027	IWVWIZM-02728D08-050	IWVWRWT-02728D08-025	IWVWSWT-02708D08-Z02				50	500	1X25	10X25	1X2	60X2
31600038	IWVWIZM-04060D10-050	IWVWRWT-04060D10-025	IWVWSWT-04060D10-Z02				50	500	1X25	10X25	1X2	60X2
31600039	IWVWIZM-S4100D08-020	x	x				20	200				
31600040	IWVWIZM-S4100D12-020	x	x				20	200				
31600041	IWVWIZM-S4100D14-020	IWVWRWT-S4100D14-010	IWVWSWT-S4100D14-Z02				20	200	1X10	10X10	1X2	60X2



HOW TO USE :




1



2



3



4