

PROFIELKLEM VOOR T+I BALK MET RECHTE U – BEUGEL VOOR RAILMONTAGE STAAL VERZINKT



Description:

The rail beam clamp is designed for attachment of fixing rails on rolled beams. This mounting component doesn't need neither drilling nor welding for attachment. Additional moving and aligning of fixing rails can be carried out at any time. Thanks to various lengths of stirrups the rail beam clamp can be fixed to all common T-profile and I-profile steel beams.


Material :

Steel class 5.6 - zinc plated

Supply No.	Name	A (mm)	B (mm)	F (kN)	H (mm)	M	T (mm)	Suitable for profile	Package (pcs)
39005001	Rail beam clamp M8 FIX 27×18, 28×30	70	45	2,8	80	M8	5	27×18, 28×30	30
39005002	Rail beam clamp M10 FIX 38×40, 40×60, ST41x21-62	90	75	8,0	110	M10	6	38×40, 40×60, ST41x21-62	20
39005003	Rail beam clamp M12 FIX 38×40, 40×60, ST41x21-124	90	140	9,0	190	M12	8	38×40, 40×60, ST41x21-124	10

CROSS REFERENCE TABLE :

Konarik Partnr.	WT ARTIKELNUMMER			Moer	Afmeting In mm			UITVOERING	Inhoud	
	Industrial pack Fabric pack	WT system Retail pack	WT system Small pack		A	B	H		I-pack/ Pack	pcs Carton
39005001	IWVBIZM-P2728M08-030	x	x	M8	70	45	80	27/18 + 28/30	30	300
39005002	IWVBIZM-P40STM10-020	x	x	M10	70	75	110	38/40 + 40/60 + strut tot 62	20	200
39005003	x	x	x	M12	90	140	190	38/40 + 40/60 + strut tot 124	10	100



HOW TO USE : NEW TYPE !!

